



Television Channel Allocation

TV Band	Channel	Frequency limits	Video Carrier	Audio Carrier	Centre Frequency
CCIR					
B-I	2	47 - 54	48,25	53,75	50,5
	3	54 - 61	55,25	60,75	57,5
	4	61 - 68	62,25	67,75	64,5
Low-S	S2	111 - 118	112,25	117,75	114,5
	S3	118 - 125	119,25	124,75	121,5
	S4	125 - 132	126,25	131,75	128,5
	S5	132 - 139	133,25	138,75	135,5
	S6	139 - 146	140,25	145,75	142,5
	S7	146 - 153	147,25	152,75	149,5
	S8	153 - 160	154,25	159,75	156,5
	S9	160 - 167	161,25	166,75	163,5
	S10	167 - 174	168,25	173,75	170,5
	B-III	5	174 - 181	175,25	180,75
6		181 - 188	182,25	187,75	184,5
7		188 - 195	189,25	194,75	191,5
8		195 - 202	196,25	201,75	198,5
9		202 - 209	203,25	208,75	205,5
10		209 - 216	210,25	215,75	212,5
11		216 - 223	217,25	222,75	219,5
High-S	S11	230 - 237	231,25	236,75	233,5
	S12	237 - 244	238,25	243,75	240,5
	S13	244 - 251	245,25	250,75	247,5
	S14	251 - 258	252,25	257,75	254,5
	S15	258 - 265	259,25	264,75	261,5
	S16	265 - 272	266,25	271,75	268,5
	S17	272 - 279	273,25	278,75	275,5
	S18	279 - 286	280,25	285,75	282,5
	S19	286 - 293	287,25	292,75	289,5
	S20	293 - 300	294,25	299,75	296,5
Hyperband	S21	302 - 310	303,25	308,75	306,0
	S22	310 - 318	311,25	316,75	314,0
	S23	318 - 326	319,25	324,75	322,0
	S24	326 - 334	327,25	332,75	330,0
	S25	334 - 342	335,25	340,75	338,0
	S26	342 - 350	343,25	348,75	346,0
	S27	350 - 358	351,25	356,75	354,0
	S28	358 - 366	359,25	364,75	362,0
	S29	366 - 374	367,25	372,75	370,0
	S30	374 - 382	375,25	380,75	378,0
	S31	382 - 390	383,25	388,75	386,0
	S32	390 - 398	391,25	396,75	394,0
	S33	398 - 406	399,25	404,75	402,0
	S34	406 - 414	407,25	412,75	410,0
	S35	414 - 422	415,25	420,75	418,0
	S36	422 - 430	423,25	428,75	426,0
	S37	430 - 438	431,25	436,75	434,0
	S38	438 - 446	439,25	444,75	442,0

- All values in MHz.



Television Channel Allocation

TV Band	Channel	Frequency limits	Video Carrier	Audio Carrier	Centre Frequency
CCIR					
UHF	21	470 - 478	471,25	476,75	474,0
	22	478 - 486	479,25	484,75	482,0
	23	486 - 494	487,25	492,75	490,0
	24	494 - 502	495,25	500,75	498,0
	25	502 - 510	503,25	508,75	506,0
	26	510 - 518	511,25	516,75	514,0
	27	518 - 526	519,25	524,75	522,0
	28	526 - 534	527,25	532,75	530,0
	29	534 - 542	535,25	540,75	538,0
	30	542 - 550	543,25	548,75	546,0
	31	550 - 558	551,25	556,75	554,0
	32	558 - 566	559,25	564,75	562,0
	33	566 - 574	567,25	572,75	570,0
	34	574 - 582	575,25	580,75	578,0
	35	582 - 590	583,25	588,75	586,0
	36	590 - 598	591,25	596,75	594,0
	37	598 - 606	599,25	604,75	602,0
	38	606 - 614	607,25	612,75	610,0
	39	614 - 622	615,25	620,75	618,0
	40	622 - 630	623,25	628,75	626,0
	41	630 - 638	631,25	636,75	634,0
	42	638 - 646	639,25	644,75	642,0
	43	646 - 654	647,25	652,75	650,0
	44	654 - 662	655,25	660,75	658,0
	45	662 - 670	663,25	668,75	666,0
	46	670 - 678	671,25	676,75	674,0
	47	678 - 686	679,25	684,75	682,0
	48	686 - 694	687,25	692,75	690,0
	49	694 - 702	695,25	700,75	698,0
	50	702 - 710	703,25	708,75	706,0
	51	710 - 718	711,25	716,75	714,0
	52	718 - 726	719,25	724,75	722,0
	53	726 - 734	727,25	732,75	730,0
	54	734 - 742	735,25	740,75	738,0
	55	742 - 750	743,25	748,75	746,0
	56	750 - 758	751,25	756,75	754,0
	57	758 - 766	759,25	764,75	762,0
	58	766 - 774	767,25	772,75	770,0
	59	774 - 782	775,25	780,75	778,0
	60	782 - 790	783,25	788,75	786,0
	61	790 - 798	791,25	796,75	794,0
	62	798 - 806	799,25	804,75	802,0
	63	806 - 814	807,25	812,75	810,0
	64	814 - 822	815,25	820,75	818,0
	65	822 - 830	823,25	828,75	826,0
	66	830 - 838	831,25	836,75	834,0
	67	838 - 846	839,25	844,75	842,0
	68	846 - 854	847,25	852,75	850,0
	69	854 - 862	855,25	860,75	858,0

- All values in MHz.



Television Channel Allocation

Channel	IRCO Channel	Frequency limits	Channel Width	Video Carrier	Audio Carrier	Centre Frequency
OIRT						
C/01	C/01R	48-56	8	49,75	55,25	52,50
C/02	C/02R	58-66	8	59,25	65,75	62,00
C/03	C/03R	76-84	8	77,25	83,75	80,00
C/04	C/04R	84-92	8	85,25	91,75	88,00
C/05	C/05R	92-100	8	93,25	99,75	96,00
C/06	C/06R	174-182	8	175,25	181,75	178,00
C/07	C/07R	182-190	8	183,25	189,75	186,00
C/08	C/08R	190-198	8	191,25	197,75	194,00
C/09	C/09R	198-206	8	199,25	205,75	202,00
C/10	C/10R	206-214	8	207,25	213,75	210,00
C/11	C/11R	214-222	8	215,25	221,75	218,00
C/12	C/12R	222-230	8	223,25	229,75	226,00
Italy						
C/0A	C/0AT	52-59	7	53,75	59,25	56,00
C/0B	C/0BT	61-68	7	62,25	67,75	64,50
C/0C	C/0CT	81-88	7	82,25	87,75	84,50
C/0D	C/0DT	174-181	7	175,25	180,75	177,50
C/0E	C/0ET	182-189	7	183,75	189,25	186,00
C/0F	C/0FT	191-198	7	192,25	197,75	194,50
C/0G	C/0GT	200-207	7	201,25	206,75	203,50
C/0H	C/0HT	209-216	7	210,25	215,75	212,50
C/H1	C/H1T	216-223	7	217,25	222,75	219,50
C/H2	C/H2T	223-230	7	224,25	229,75	226,50
Morocco						
S/04	S/04M	162-169	7	163,25	168,75	165,50
S/05	S/05M	170-177	7	171,25	176,75	173,50
C/06	C/06M	178-185	7	179,25	184,75	181,50
C/07	C/07M	186-193	7	187,25	192,75	189,50
C/08	C/08M	194-201	7	195,25	200,75	197,50
C/09	C/09M	202-209	7	203,25	208,75	205,50
C/10	C/10M	210-217	7	211,25	216,75	213,50
France						
C/02	C/02L	48-56	8	55,75	49,25	52,00
C/03	C/03L	59-67	8	60,50	54,00	63,25
C/04	C/04L	62-70	8	63,75	57,25	66,50
C/05	C/05L	174-182	8	176,00	182,50	178,75
C/06	C/06L	182-190	8	184,00	190,50	186,75
C/07	C/07L	190-198	8	192,00	198,50	194,75
C/08	C/08L	198-206	8	200,00	206,50	202,75
C/09	C/09L	206-214	8	208,00	214,50	210,75
C/10	C/10L	214-222	8	216,00	222,50	218,75
S/B	S/B-L	115-123	8	116,75	123,25	119,50
S/C	S/C-L	127-135	8	128,75	135,25	131,50
S/D	S/D-L	139-147	8	140,75	147,25	143,50
S/E	S/E-L	151-159	8	152,75	159,25	155,50
S/F	S/F-L	163-171	8	164,75	171,25	167,50
C/G	C/G-L	175-183	8	176,75	183,25	179,50
C/H	C/H-L	187-195	8	188,75	195,25	191,50
C/I	C/I-L	199-207	8	200,75	207,25	203,50
C/J	C/J-L	211-219	8	212,75	219,25	215,50
C/K	C/K-L	223-231	8	224,75	231,25	227,50
S/L	S/L-L	235-243	8	236,75	243,25	239,50
S/M	S/M-L	247-255	8	248,75	255,25	251,50
S/N	S/N-L	259-267	8	260,75	267,25	263,50
S/O	S/O-L	271-279	8	272,75	279,25	275,50
S/P	S/P-L	283-291	8	284,75	291,25	287,50
S/Q	S/Q-L	295-303	8	296,75	303,25	299,50

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation

Channel	IRCO Channel	Frequency limits	Channel Width	Video Carrier	Audio Carrier	Centre Frequency
France - Territoires d'Outre Mer (DOM TOM)						
C/04	C/04D	174-182	8	175,25	181,75	178,00
C/05	C/05D	182-190	8	183,25	189,75	186,00
C/06	C/06D	190-198	8	191,25	197,75	194,00
C/07	C/07D	198-206	8	199,25	205,75	202,00
C/08	C/08D	206-214	8	207,25	213,75	210,00
C/09	C/09D	214-222	8	215,25	221,75	218,00
Ireland						
C/A	C/A-I	44-52	8	45,75	51,75	48,50
C/B	C/B-I	52-60	8	53,75	59,75	56,50
C/C	C/C-I	60-68	8	61,75	67,75	64,50
C/D	C/D-I	174-182	8	175,25	181,25	178,00
C/E	C/E-I	182-190	8	183,25	189,25	186,00
C/F	C/F-I	190-198	8	191,25	197,25	194,00
C/G	C/G-I	198-206	8	199,25	205,25	202,00
C/H	C/H-I	206-214	8	207,25	213,25	210,00
C/J	C/J-I	214-222	8	215,25	221,25	218,00
Australia						
C/00	C/00A	45-52	7	46,25	51,75	48,50
C/01	C/01A	56-63	7	57,25	62,75	59,50
C/02	C/02A	63-70	7	64,25	69,75	66,50
S/5A	S/5AA	137-144	7	138,25	143,75	140,50
C/06	C/06A	174-181	7	175,25	180,75	177,50
C/07	C/07A	181-188	7	182,25	187,75	184,50
C/08	C/08A	188-195	7	189,25	194,75	191,50
C/09	C/09A	195-202	7	196,25	201,75	198,50
C/9A	C/9AA	202-209	7	203,25	208,75	205,50
C/10	C/10A	209-216	7	210,25	215,75	212,50
C/11	C/11A	216-223	7	217,25	222,75	219,50
C/12	C/12A	223-230	7	224,25	229,75	226,50
New Zealand						
C/01	C/01Z	44-51	7	45,25	50,75	47,50
C/02	C/02Z	54-61	7	55,25	60,75	57,50
C/03	C/03Z	61-68	7	62,25	67,75	64,50
C/04	C/04Z	174-181	7	175,25	180,75	177,50
C/05	C/05Z	181-188	7	182,25	187,75	184,50
C/06	C/06Z	188-195	7	189,25	194,75	191,50
C/07	C/07Z	195-202	7	196,25	201,75	198,50
C/08	C/08Z	202-209	7	203,25	208,75	205,50
C/09	C/09Z	209-216	7	210,25	215,75	212,50
C/10	C/10Z	216-223	7	217,25	222,75	219,50
C/11	C/11Z	223-230	7	224,25	229,75	226,50
South Africa						
C/04	C/04S	174-182	8	175,25	181,25	178,00
C/05	C/05S	182-190	8	183,25	189,25	186,00
C/06	C/06S	190-198	8	191,25	197,25	194,00
C/07	C/07S	198-206	8	199,25	205,25	202,00
C/08	C/08S	206-214	8	207,25	213,25	210,00
C/09	C/09S	214-222	8	215,25	221,25	218,00
C/10	C/10S	222-230	8	223,25	229,25	226,00
S/11	S/11S	230-238	8	231,25	237,25	234,00
S/13	S/13S	246-254	8	247,43	253,43	250,18

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation

Channel	IRCO Channel	Frequency limits	Channel Width	Video Carrier	Audio Carrier	Centre Frequency
Indonesia						
C/1A	C/1AN	43-50	7	44,25	49,75	46,50
C/02	C/02N	54-61	7	55,25	60,75	57,50
C/03	C/03N	61-68	7	62,25	67,75	64,50
C/04	C/04N	174-181	7	175,25	180,75	177,50
C/05	C/05N	181-188	7	182,25	187,75	184,50
C/06	C/06N	188-195	7	189,25	194,75	191,50
C/07	C/07N	195-202	7	196,25	201,75	198,50
C/08	C/08N	202-209	7	203,25	208,75	205,50
C/09	C/09N	209-216	7	210,25	215,75	212,50
C/10	C/10N	216-223	7	217,25	222,75	219,50
C/11	C/11N	223-230	7	224,25	229,75	226,50
Chile						
C/02	C/02H	54-60	6	55,25	59,75	57,00
C/03	C/03H	60-66	6	61,25	65,75	63,00
C/04	C/04H	66-72	6	67,25	71,75	69,00
C/05	C/05H	76-82	6	77,25	81,75	79,00
C/06	C/06H	82-88	6	83,25	87,75	85,00
C/07	C/07H	174-180	6	175,25	179,75	177,00
C/08	C/08H	180-186	6	181,25	185,75	183,00
C/09	C/09H	186-192	6	187,25	191,75	189,00
C/10	C/10H	192-198	6	193,25	197,75	195,00
C/11	C/11H	198-204	6	199,25	203,75	201,00
C/12	C/12H	204-210	6	205,25	209,75	207,00

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation US Broadcast Channels

Channel	IRCO Channel	Frequency limits	Channel BW	Video Carrier	Audio carrier	Center Frequency
2	C/02MB	54-60	6	55,25	59,75	57
3	C/03MB	60-66	6	61,25	65,75	63
4	C/04MB	66-72	6	67,25	71,75	69
5	C/05MB	76-82	6	77,25	81,75	79
6	C/06MB	82-88	6	83,25	87,75	85
7	C/07MB	174-180	6	175,25	179,75	177
8	C/08MB	180-186	6	181,25	185,75	183
9	C/09MB	186-192	6	187,25	191,75	189
10	C/10MB	192-198	6	193,25	197,75	195
11	C/11MB	198-204	6	199,25	203,75	201
12	C/12MB	204-210	6	205,25	209,75	207
13	C/13MB	210-216	6	211,25	215,75	213
14	C/14MB	470-476	6	471,25	475,75	473
15	C/15MB	476-482	6	477,25	481,75	479
16	C/16MB	482-488	6	483,25	487,75	485
17	C/17MB	488-494	6	489,25	493,75	491
18	C/18MB	494-500	6	495,25	499,75	497
19	C/19MB	500-506	6	501,25	505,75	503
20	C/20MB	506-512	6	507,25	511,75	509
21	C/21MB	512-518	6	513,25	517,75	515
22	C/22MB	518-524	6	519,25	523,75	521
23	C/23MB	524-530	6	525,25	529,75	527
24	C/24MB	530-536	6	531,25	535,75	533
25	C/25MB	536-542	6	537,25	541,75	539
26	C/26MB	542-548	6	543,25	547,75	545
27	C/27MB	548-554	6	549,25	553,75	551
28	C/28MB	554-560	6	555,25	559,75	557
29	C/29MB	560-566	6	561,25	565,75	563
30	C/30MB	566-572	6	567,25	571,75	569
31	C/31MB	572-578	6	573,25	577,75	575
32	C/32MB	578-584	6	579,25	583,75	581
33	C/33MB	584-590	6	585,25	589,75	587
34	C/34MB	590-596	6	591,25	595,75	593
35	C/35MB	596-602	6	597,25	601,75	599
36	C/36MB	602-608	6	603,25	607,75	605
37	C/37MB	608-614	6	609,25	613,75	611
38	C/38MB	614-620	6	615,25	619,75	617
39	C/39MB	620-626	6	621,25	625,75	623
40	C/40MB	626-632	6	627,25	631,75	629
41	C/41MB	632-638	6	633,25	637,75	635
42	C/42MB	638-644	6	639,25	643,75	641
43	C/43MB	644-650	6	645,25	649,75	647
44	C/44MB	650-656	6	651,25	655,75	653
45	C/45MB	656-662	6	657,25	661,75	659
46	C/46MB	662-668	6	663,25	667,75	665
47	C/47MB	668-674	6	669,25	673,75	671
48	C/48MB	674-680	6	675,25	679,75	677
49	C/49MB	680-686	6	681,25	685,75	683
50	C/50MB	686-692	6	687,25	691,75	689
51	C/51MB	692-698	6	693,25	697,75	695
52	C/52MB	698-704	6	699,25	703,75	701
53	C/53MB	704-710	6	705,25	709,75	707
54	C/54MB	710-716	6	711,25	715,75	713

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation US Broadcast Channels

Channel		Frequency limits	Channel BW	Video Carrier	Audio carrier	Center Frequency
55	C/55MB	716-722	6	717,25	721,75	719
56	C/56MB	722-728	6	723,25	727,75	725
57	C/57MB	728-734	6	729,25	733,75	731
58	C/58MB	734-740	6	735,25	739,75	737
59	C/59MB	740-746	6	741,25	745,75	743
60	C/60MB	746-752	6	747,25	751,75	749
61	C/61MB	752-758	6	753,25	757,75	755
62	C/62MB	758-764	6	759,25	763,75	761
63	C/63MB	764-770	6	765,25	769,75	767
64	C/64MB	770-776	6	771,25	775,75	773
65	C/65MB	776-782	6	777,25	781,75	779
66	C/66MB	782-788	6	783,25	787,75	785
67	C/67MB	788-794	6	789,25	793,75	791
68	C/68MB	794-800	6	795,25	799,75	797
69	C/69MB	800-806	6	801,25	805,75	803
70	C/70MB	806-812	6	807,25	811,75	809
71	C/71MB	812-818	6	813,25	817,75	815
72	C/72MB	818-824	6	819,25	823,75	821
73	C/73MB	824-830	6	825,25	829,75	827
74	C/74MB	830-836	6	831,25	835,75	833
75	C/75MB	836-842	6	837,25	841,75	839
76	C/76MB	842-848	6	843,25	847,75	845
77	C/77MB	848-854	6	849,25	853,75	851
78	C/78MB	854-860	6	855,25	859,75	857
79	C/79MB	860-866	6	861,25	865,75	863
80	C/80MB	866-872	6	867,25	871,75	869
81	C/81MB	872-878	6	873,25	877,75	875
82	C/82MB	878-884	6	879,25	883,75	881
83	C/83MB	884-890	6	885,25	889,75	887

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation US CATV Channels

Channel	IRCO Channel	Frequency limits	Channel BW	Video Carrier	Audio carrier	Center Frequency
2	C/02MC	54-60	6	55,2500	59,7500	57
3	C/03MC	60-66	6	61,2500	65,7500	63
4	C/04MC	66-72	6	67,2500	71,7500	69
5	C/05MC	76-82	6	77,2500	81,7500	79
6	C/06MC	82-88	6	83,2500	87,7500	85
95	C/95MC	90-96	6	91,2500	95,7500	93
96	C/96MC	96-102	6	97,2500	101,7500	99
97	C/97MC	102-108	6	103,2500	107,7500	105
98	C/98MC	108-114	6	109,2750	113,7750	111
99	C/99MC	114-120	6	115,2750	119,7750	117
14	C/14MC	120-126	6	121,2625	125,7625	123
15	C/15MC	126-132	6	127,2625	131,7625	129
16	C/16MC	132-138	6	133,2625	137,7625	135
17	C/17MC	138-144	6	139,2500	143,7500	141
18	C/18MC	144-150	6	145,2500	149,7500	147
19	C/19MC	150-156	6	151,2500	155,7500	153
20	C/20MC	156-162	6	157,2500	161,7500	159
21	C/21MC	162-168	6	163,2500	167,7500	165
22	C/22MC	168-174	6	169,2500	173,7500	171
7	C/07MC	174-180	6	175,2500	179,7500	177
8	C/08MC	180-186	6	181,2500	185,7500	183
9	C/09MC	186-192	6	187,2500	191,7500	189
10	C/10MC	192-198	6	193,2500	197,7500	195
11	C/11MC	198-204	6	199,2500	203,7500	201
12	C/12MC	204-210	6	205,2500	209,7500	207
13	C/13MC	210-216	6	211,2500	215,7500	213
23	C/23MC	216-222	6	217,2500	221,7500	219
24	C/24MC	222-228	6	223,2500	227,7500	225
25	C/25MC	228-234	6	229,2625	233,7625	231
26	C/26MC	234-240	6	235,2625	239,7625	237
27	C/27MC	240-246	6	241,2625	245,7625	243
28	C/28MC	246-252	6	247,2625	251,7625	249
29	C/29MC	252-258	6	253,2625	257,7625	255
30	C/30MC	258-264	6	259,2625	263,7625	261
31	C/31MC	264-270	6	265,2625	269,7625	267
32	C/32MC	270-276	6	271,2625	275,7625	273
33	C/33MC	276-282	6	277,2625	281,7625	279
34	C/34MC	282-288	6	283,2625	287,7625	285
35	C/35MC	288-294	6	289,2625	293,7625	291
36	C/36MC	294-300	6	295,2625	299,7625	297
37	C/37MC	300-306	6	301,2625	305,7625	303
38	C/38MC	306-312	6	307,2625	311,7625	309
39	C/39MC	312-318	6	313,2625	317,7625	315
40	C/40MC	318-324	6	319,2625	323,7625	321
41	C/41MC	324-330	6	325,2625	329,7625	327
42	C/42MC	330-336	6	331,2750	335,7750	333
43	C/43MC	336-342	6	337,2625	341,7625	339
44	C/44MC	342-348	6	343,2625	347,7625	345
45	C/45MC	348-354	6	349,2625	353,7625	351
46	C/46MC	354-360	6	355,2625	359,7625	357
47	C/47MC	360-366	6	361,2625	365,7625	363
48	C/48MC	366-372	6	367,2625	371,7625	369
49	C/49MC	372-378	6	373,2625	377,7625	375

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation US CATV Channels

Channel	IRCO Channel	Frequency limits	Channel BW	Video Carrier	Audio carrier	Center Frequency
50	C/50MC	378-384	6	379,2625	383,7625	381
51	C/51MC	384-390	6	385,2625	389,7625	387
52	C/52MC	390-396	6	391,2625	395,7625	393
53	C/53MC	396-402	6	397,2625	401,7625	399
54	C/54MC	402-408	6	403,2500	407,7500	405
55	C/55MC	408-414	6	409,2500	413,7500	411
56	C/56MC	414-420	6	415,2500	419,7500	417
57	C/57MC	420-426	6	421,2500	425,7500	423
58	C/58MC	426-432	6	427,2500	431,7500	429
59	C/59MC	432-438	6	433,2500	437,7500	435
60	C/60MC	438-444	6	439,2500	443,7500	441
61	C/61MC	444-450	6	445,2500	449,7500	447
62	C/62MC	450-456	6	451,2500	455,7500	453
63	C/63MC	456-462	6	457,2500	461,7500	459
64	C/64MC	462-468	6	463,2500	467,7500	465
65	C/65MC	468-474	6	469,2500	473,7500	471
66	C/66MC	474-480	6	475,2500	479,7500	477
67	C/67MC	480-486	6	481,2500	485,7500	483
68	C/68MC	486-492	6	487,2500	491,7500	489
69	C/69MC	492-498	6	493,2500	497,7500	495
70	C/70MC	498-504	6	499,2500	503,7500	501
71	C/71MC	504-510	6	505,2500	509,7500	507
72	C/72MC	510-516	6	511,2500	515,7500	513
73	C/73MC	516-522	6	517,2500	521,7500	519
74	C/74MC	522-528	6	523,2500	527,7500	525
75	C/75MC	528-534	6	529,2500	533,7500	531
76	C/76MC	534-540	6	535,2500	539,7500	537
77	C/77MC	540-546	6	541,2500	545,7500	543
78	C/78MC	546-552	6	547,2500	551,7500	549
79	C/79MC	552-558	6	553,2500	557,7500	555
80	C/80MC	558-564	6	559,2500	563,7500	561
81	C/81MC	564-570	6	565,2500	569,7500	567
82	C/82MC	570-576	6	571,2500	575,7500	573
83	C/83MC	576-582	6	577,2500	581,7500	579
84	C/84MC	582-588	6	583,2500	587,7500	585
85	C/85MC	588-594	6	589,2500	593,7500	591
86	C/86MC	594-600	6	595,2500	599,7500	597
87	C/87MC	600-606	6	601,2500	605,7500	603
88	C/88MC	606-612	6	607,2500	611,7500	609
89	C/89MC	612-618	6	613,2500	617,7500	615
90	C/90MC	618-624	6	619,2500	623,7500	621
91	C/91MC	624-630	6	625,2500	629,7500	627
92	C/92MC	630-636	6	631,2500	635,7500	633
93	C/93MC	636-642	6	637,2500	641,7500	639
94	C/94MC	642-648	6	643,2500	647,7500	645
100	C/100MC	648-654	6	649,2500	653,7500	651
101	C/101MC	654-660	6	655,2500	659,7500	657
102	C/102MC	660-666	6	661,2500	665,7500	663
103	C/103MC	666-672	6	667,2500	671,7500	669
104	C/104MC	672-678	6	673,2500	677,7500	675
105	C/105MC	678-684	6	679,2500	683,7500	681
106	C/106MC	684-690	6	685,2500	689,7500	687
107	C/107MC	690-696	6	691,2500	695,7500	693

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.



Television Channel Allocation US CATV Channels

Channel	IRCO Channel	Frequency limits	Channel BW	Video Carrier	Audio carrier	Center Frequency
108	C/108MC	696-702	6	697,2500	701,7500	699
109	C/109MC	702-708	6	703,2500	707,7500	705
110	C/110MC	708-714	6	709,2500	713,7500	711
111	C/111MC	714-720	6	715,2500	719,7500	717
112	C/112MC	720-726	6	721,2500	725,7500	723
113	C/113MC	726-732	6	727,2500	731,7500	729
114	C/114MC	732-738	6	733,2500	737,7500	735
115	C/115MC	738-744	6	739,2500	743,7500	741
116	C/116MC	744-750	6	745,2500	749,7500	747
117	C/117MC	750-756	6	751,2500	755,7500	753
118	C/118MC	756-762	6	757,2500	761,7500	759
119	C/119MC	762-768	6	763,2500	767,7500	765
120	C/120MC	768-774	6	769,2500	773,7500	771
121	C/121MC	774-780	6	775,2500	779,7500	777
122	C/122MC	780-786	6	781,2500	785,7500	783
123	C/123MC	786-792	6	787,2500	791,7500	789
124	C/124MC	792-798	6	793,2500	797,7500	795
125	C/125MC	798-804	6	799,2500	803,7500	801
126	C/126MC	804-810	6	805,2500	809,7500	807
127	C/127MC	810-816	6	811,2500	815,7500	813
128	C/128MC	816-822	6	817,2500	821,7500	819
129	C/129MC	822-828	6	823,2500	827,7500	825
130	C/130MC	828-834	6	829,2500	833,7500	831
131	C/131MC	834-840	6	835,2500	839,7500	837
132	C/132MC	840-846	6	841,2500	845,7500	843
133	C/133MC	846-852	6	847,2500	851,7500	849
134	C/134MC	852-858	6	853,2500	857,7500	855
135	C/135MC	858-864	6	859,2500	863,7500	861
136	C/136MC	864-870	6	865,2500	869,7500	867
137	C/137MC	870-876	6	871,2500	875,7500	873
138	C/138MC	876-882	6	877,2500	881,7500	879
139	C/139MC	882-888	6	883,2500	887,7500	885
140	C/140MC	888-894	6	889,2500	893,7500	891
141	C/141MC	894-900	6	895,2500	899,7500	897
142	C/142MC	900-906	6	901,2500	905,7500	903
143	C/143MC	906-912	6	907,2500	911,7500	909
144	C/144MC	912-918	6	913,2500	917,7500	915
145	C/145MC	918-924	6	919,2500	923,7500	921
146	C/146MC	924-930	6	925,2500	929,7500	927
147	C/147MC	930-936	6	931,2500	935,7500	933
148	C/148MC	936-942	6	937,2500	941,7500	939
149	C/149MC	942-948	6	943,2500	947,7500	945
150	C/150MC	948-954	6	949,2500	953,7500	951
151	C/151MC	954-960	6	955,2500	959,7500	957
152	C/152MC	960-966	6	961,2500	965,7500	963
153	C/153MC	966-972	6	967,2500	971,7500	969
154	C/154MC	972-978	6	973,2500	977,7500	975
155	C/155MC	978-984	6	979,2500	983,7500	981
156	C/156MC	984-990	6	985,2500	989,7500	987
157	C/157MC	990-996	6	991,2500	995,7500	993
158	C/158MC	996-1002	6	997,2500	1001,7500	999

- All values in MHz.
- IRCO Channel corresponds to IRCO internal codification for a channel specific to a particular country or standard.